

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S51	11	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) (mail NEAR2 (list OR box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 17:28
L79	11	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) (mail NEAR2 (list OR box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 17:28
S84	93	shar\$3 (mail OR e\$1mail) account (plurality OR multipl\$4) user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 17:26
L78	2	76 AND 77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 17:26
L77	93	shar\$3 (mail OR e\$1mail) account (plurality OR multipl\$4) user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 17:26
L76	120	(715/750,752).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 17:25
L73	13	72 and @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:26
L72	41	select\$5 (sav\$3 OR stor\$3) attachment (mail OR e\$1mail) message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/02 15:26
L71	38	68 and @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:26
L68	38	66 NOT 62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:24
L66	53	60 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:21
L63	15	62 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:21

L64	8	select\$5 sav\$3 (attachment OR portion) (mail OR e\$mail OR (electronic NEAR2 (mail OR message))) compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:15
L59	255	select\$5 sav\$3 (attachment OR portion) (mail OR e\$mail OR (electronic NEAR2 (mail OR message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 15:14
S11	21955180	@ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 14:56
S1	7695	(709/206,207,203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:56
L62	23	60 AND 61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 14:56
L61	8455	(709/206,207,203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:56
L60	82	59 AND compar\$ AND size AND type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 14:56
L13	10	(Leav\$3 SAME copy SAME message SAME server) AND POP3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 13:46
L11	4	Leave WITH copy WITH message WITH server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/02 13:45
L1	78	configur\$4 option (POP OR POP3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/02 13:32
S11 1	16	S110 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:54
S11 0	28	leave (message OR mail OR e\$1mail) POP\$13 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:54
S10 9	1	leave copy (message OR mail OR e\$1mail) POP\$13 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:54

S10 7	28	S106 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:54
S10 8	1	option leave copy (message OR mail OR e\$1mail) POP\$13 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:53
S10 6	51	S104 AND S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:18
S10 5	8442	(709/206,207,203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 18:18
S10 4	158	(sav\$3 OR stor\$3) (mail OR e\$1mail) ((POP OR POP3) NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/01 18:18
S10 3	14	option (sav\$3 OR stor\$3) (mail OR e\$1mail) ((POP OR POP3) NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:17
S10 2	8	S100 AND S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 18:13
S10 1	3594	(709/205,206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 11:02
S10 0	39	S99 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/01 11:02
S99	93	(shar\$3 NEAR2 (e\$1mail OR mail) NEAR3 (address OR account))	US-PGPUB; USPAT; JPO; DERWENT	SAME	ON	2005/08/01 11:02
S43	3588	(709/205,206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 11:02
S98	2	S95 AND (shar\$3 NEAR2 (e\$1mail OR mail) NEAR3 (address OR account))	US-PGPUB; USPAT; JPO; DERWENT	SAME	ON	2005/08/01 11:01
S97	3	S95 AND (shar\$3 NEAR2 (e\$1mail OR mail) )	US-PGPUB; USPAT; JPO; DERWENT	SAME	ON	2005/08/01 11:00

S96	1	S95 AND (shar\$3 NEAR2 (e\$1mail OR mail) NEAR3 account)	US-PGPUB; USPAT; JPO; DERWENT	SAME	ON	2005/08/01 10:58
S95	40	(US-20010055127-\$ or US-20020004821-\$ or US-20020039914-\$ or US-20020065892-\$ or US-20020091775-\$ or US-20020091781-\$ or US-20020138522-\$ or US-20020184209-\$ or US-20020184323-\$ or US-20030140112-\$ or US-20030195936-\$ or US-20030208608-\$ or US-20040024826-\$).did. or (US-5754778-\$ or US-5948058-\$ or US-5951636-\$ or US-6216121-\$ or US-6247076-\$ or US-6393463-\$ or US-6405243-\$ or US-6417930-\$ or US-6505235-\$ or US-6505236-\$ or US-6535586-\$ or US-6574670-\$ or US-6606649-\$ or US-6658456-\$ or US-6694335-\$ or US-6707472-\$ or US-6711609-\$ or US-6748056-\$ or US-6785018-\$ or US-6792085-\$ or US-6801603-\$ or US-6801931-\$).did. or (JP-11331242-\$).did. or (TW-363157-\$ or WO-200242860-\$ or US-20020091775-\$ or US-20030172118-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	SAME	ON	2005/08/01 10:56
S93	10	S92 NOT S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:49
S92	21	S91 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:49
S91	43	shar\$3 ((one OR single) NEAR2 (mail OR e\$1mail)) (account OR address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 19:48
S90	11	S89 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:48
S89	27	shar\$3 ((one OR single) NEAR (mail OR e\$1mail)) (account OR address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 19:48
S86	8	S85 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:45
S87	10	shar\$3 ((one OR single) NEAR (mail OR e\$1mail)) (account OR address) (plurality OR multipl\$4) user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:44
S88	3	shar\$3 ((one OR single) NEAR (mail OR e\$1mail)) (account OR address) (plurality OR multipl\$4) user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 19:37

S85	18	S84 AND ((POP OR POP3) WITH server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:32
S83	6	shar\$3 (mail OR e\$1mail) account (plurality OR multipl\$4) user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 19:32
S17	21955087	@ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 19:32
S82	116	shar\$3 (mail OR e\$1mail) account	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 19:27
S81	2	S80 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 18:53
S80	19	select\$5 sav\$3 attachment (mail OR e\$1mail) message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/28 17:38
S78	306	sav\$3 attachment (mail OR e\$1mail) message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 17:38
S79	10	sav\$3 attachment (mail OR e\$1mail) message (POP OR POP3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 17:33
S70	20	S69 AND (read OR un\$1read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 17:30
S73	1	synchroniz\$3 (action OR status OR state) (mail OR e\$1mail) message (server AND client) (read OR unread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 16:07
S69	28	synchroniz\$3 (action OR status OR state) (mail OR e\$1mail) message (server AND client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 16:07
S60	4	S59 AND compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/28 14:23
S68	13	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic.NEAR2 mail)) (POP OR POP3) S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/27 17:57

S67	4	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) AND S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 17:36
S65	2	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) AND S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 17:32
S66	43	shar\$3 (single OR one)(e\$1mail OR mail) account	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 17:31
S63	79	shar\$3 e\$1mail account	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 17:31
S64	1	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) AND S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 17:30
S55	52	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 17:27
S62	6	shar\$3 e\$1mail account folder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 17:26
S61	2	("20030172118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:25
S59	8	POP3 AND header AND S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 17:15
S58	4	POP3 AND header AND (mail NEAR3 list)AND S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 17:14
S57	14	(US-20020091775-\$ or US-20020184323-\$ or US-20030208608-\$ or US-20030195936-\$ or US-20040024826-\$ or US-20020091781-\$ or US-20020065892-\$ or US-20010055127-\$).did. or (US-5951636-\$ or US-6535586-\$ or US-6606649-\$ or US-6505236-\$ or US-6216121-\$ or US-6393463-\$).did.	US-PGPUB; USPAT	SAME	ON	2005/07/27 17:10
S56	32	S55 AND @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 16:52

S54	3	(retrieve\$3 OR extract\$3 OR copy\$3 OR process\$3) (header OR heading OR piece OR portion OR fraction OR segment OR section OR fragment OR part) (e\$1mail OR mail OR (electronic NEAR2 mail)) (POP OR POP3) (mail NEAR2 (list OR box))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/27 16:49
S53	4	("5437022"   "5479411"   "5675507"   "5765033").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2005/07/27 16:18
S52	19	("5951636").URPN.	USPAT	SAME	ON	2005/07/27 16:07
S50	3588	(709/205,206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:17
S45	500	POP3 AND ((e?mail NEAR2 client) OR outlook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 14:16
S49	1	POP3 WITH (handheld NEAR3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 14:12
S48	9	POP3 WITH IMAP WITH (function\$4 OR feature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 14:12
S47	10	S45 AND S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 13:15
S46	4362	(hand\$1held OR PDA OR mobile)SAME (limit\$3 WITH (memory OR storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/27 13:15
S44	38	S42 AND S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 19:17
S42	514	S41 and @ad<"20020305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 18:45
S41	971	POP\$1 SAME ((hand?held OR PDA OR mobile) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 18:44
S40	202	POP\$1 SAME ((hand?held OR PDA OR mobile) NEAR2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 18:44
S39	19	POP3 SAME ((hand?held OR PDA OR mobile) NEAR2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 18:44

S38	9	POP3 SAME IMAP SAME ((hand\$1held OR PDA OR mobine) NEAR2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 18:33
S36	1	POP3 WITH IMAP WITH (function\$5 OR featur)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 17:29
S35	14	POP3 SAME ((hand\$1held OR PDA OR mobine) NEAR2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 17:27
S34	2	POP3 WITH ((hand\$1held OR PDA OR mobine) NEAR2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/26 17:20
S33	2	header information display\$3 (electronic NEAR2 (mail OR e\$1mail))POP3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 17:35
S25	3	electronic (mail OR e\$1mail OR message) (POP3 OR (Post ADJ Office ADJ Protocol ADJ "3"))manag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/05 17:16
S31	11	(POP3 OR (Post ADJ Office ADJ Protocol ADJ "3"))AND(updat\$3 (attribute NEAR3 (file OR information)) header information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 17:09
S30	67	updat\$3 (attribute NEAR3 (file OR information)) header information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 17:08
S29	7	(read\$3 OR retriev\$3)header information (mail OR e\$1mail) POP3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 17:06
S28	718	(seen OR read) (un\$1seen OR un\$1read) (e\$1mail OR mail) (flag OR indication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/03/05 17:01
S27	38	(seen OR read) (un\$1seen OR un\$1read) (e\$1mail OR mail) (flag OR indication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 17:01
S26	22	electronic (mail OR e\$1mail OR message) (POP3 OR (Post ADJ Office ADJ Protocol ADJ "3"))manag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/05 16:53
S22	15	POP3 SAME determin\$3 SAME (message OR e\$1mail OR mail) SAME (read OR un\$1read)AND S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:46



S21	24	POP3 SAME determin\$3 SAME (message OR e\$1mail OR mail) SAME (read OR un\$1read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:45
S19	2	POP3 SAME determin\$3 SAME (message OR e\$1mail OR mail) SAME (read OR un\$1read)SAME header SAME (information OR data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:45
S18	11	S16 AND S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:31
S16	20	S15 AND POP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:24
S15	96	attribute WITH (read OR un\$1read)WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:23
S14	10	(retriev\$3 WITH header WITH (information OR message) )SAME POP3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/03 10:23
S13	11	determin\$3 WITH (mail OR e\$1mail) WITH (read OR un\$read)WITH header WITH information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:17
S12	24	S10 AND S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:16
S10	34	S1 AND S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:08
S9	130	(mail OR e\$1mail) WITH read WITH header WITH (information OR content OR data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:08
S8	11	determin\$3 WITH (mail OR e\$1mail) WITH read WITH header WITH (information OR content OR data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:07
S7	11	S4 SAME S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 20:01
S6	601	indicat\$3 WITH (mail OR e\$1mail)WITH read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 19:56

S5	8	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 19:55
S4	9142	header NEAR4 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 19:53
S3	81	S1 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 19:53
S2	344	POP3 NEAR server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/01 19:52